

# Green Finance Investor Report 2025

1 January – 31 December 2025

# Table of content

About this report .....	3
Sustainability framework .....	4
Green Finance Framework.....	5
Property development.....	6
Asphalt plants and quarries.....	7
Issuance of Green Bonds.....	9
Summary of key results .....	9
Information on Green Bond investments.....	10
Appendix – Calculation approach.....	18
Contact information .....	19



# About this report

This report comprises brief information about NCC's sustainability work, the Green Finance Framework, and the Green Bonds that NCC has issued, as well as a description on how environmental sustainability work is performed in our property development and in the industrial production at asphalt plants and quarries. It also contains results and outcomes linked to Green Bonds. Although NCC introduced an updated Green Finance Framework in 2025, this Investor Report continues to follow the 2022 Framework, which remains applicable for reporting purposes.

## Property development

NCC has a portfolio of commercial properties that comply with the Green Finance Framework. These projects are designed and constructed to meet at least the green building definition BREEAM Excellent or DGNB Gold certificate standards. In this report, we present three representative projects, all of which fulfil the criteria of NCC's Green Finance Framework, and we describe their climate and environmental impact, and smart technical solutions.

## Asphalt plants and quarries

Significant investments have been made in fuel conversion from fossil to renewable energy, energy efficiency measures and recycling at our asphalt plants. These investments comprise all historic conversions, including the past year, and investments in these types of measures in all the Nordic countries. Energy efficiency measures and recycling started in 2009. Conversion from fossil to renewable fuels started in the asphalt business in Sweden already in 2012 and are now being carried out in the other Nordic countries. The initiatives taken at the plants include investments to increase energy efficiency and raise the amount of reclaimed asphalt pavements (RAP) reused in our asphalt products. Since RAP goes into our ordinary asphalt production it reduces the cradle to gate climate impact of the asphalt product. Investments which increase the amount of RAP used is also a significant contribution to the circular economy since it decreases the amount of virgin aggregates and bitumen required in the asphalt mixtures.

Reported investments in renewable energy in NCC's quarries consist of two parts: 1) electrification of sites owned by NCC and 2) mobile diesel-electric stone crushers owned by NCC for use in any electrified site. Both investments are required to make the transition from diesel-driven to electric crushing. The switch from diesel-driven to electric crushing is also associated with a significant reduction in energy consumption. Data on electrification and investment in diesel-electric crushers and the associated energy efficiency in the crushers include all historic and present investments in Sweden. Conversion started in 2019 and is currently ongoing.

Reported investments contributing to preserving biodiversity and sustainable ecosystems also consist of two parts: 1) initiatives to protect and secure biodiversity in our active quarries and gravel pits in accordance with the NCC Kielo method, and 2) investments in facilities to produce NCC Machine Sand, a product which enables our customers to reduce their consumption of natural sand.

This report covers the period January 1, 2025, to December 31, 2025.

## Background

To fund climate investments and other relevant environmental initiatives that support our sustainability targets, and that our customers' demand, NCC published a Green Bond Framework and issued its first Green Bond in September 2019. The Green Bond Framework was updated in 2022 and renamed to the Green Financing Framework, to allow for more types of financing. In November 2025, a further update to the framework was made. This investor report continues to follow the 2022 Framework, which remains applicable for reporting purposes.

Working with sustainability matters is integrated in the businesses and operations of NCC and our priority areas are described in NCC's sustainability framework. For more information about NCC's sustainability framework, please visit [ncc.com](https://ncc.com).

## Sustainability reporting

NCC publishes a sustainability report which has been prepared in accordance with the Swedish Annual Accounts Act and European Sustainability Reporting Standards (ESRS) as implemented in Swedish legislation. The report presents NCC's material sustainability areas, both from an impact and a financial perspective, and is a useful source of information regarding the Group's sustainability work. The report contains information on NCC's ways of working within the material sustainability areas, how the work is governed, relevant metrics for evaluating performance, as well as targets and progress towards those targets. The sustainability report is reviewed by external auditors and is published as a part of NCC's Annual and Sustainability Report.

## About NCC

NCC is one of the leading construction companies in the Nordics. Based on its expertise in managing complex construction processes, NCC contributes to a positive impact of construction for its customers and society. Operations include building and infrastructure project contracting, asphalt and stone materials production and commercial property development. In 2025 NCC had a turnover of SEK 55,7 billion and approximately 11,500 employees.

# Sustainability framework


NCC's sustainability framework provides the foundation for the Group's sustainability work. It encompasses NCC's work to pursue and develop operations to ensure that they generate long-term value – financially and in respect of the environment and climate, human health and wellbeing, and on the basis of sound ethical and governance principles.

The framework rests on a basis consisting of NCC's core, purpose, values, and desired behaviors (Star behaviors). A prerequisite for long-term sustainability work is healthy and sustainable profitability. Data and expertise are central to NCC's strategic direction and are also crucial in the work within NCC's sustainability framework. Data and expertise ensure a positive end result and generate value for the customer and other stakeholders.

The framework's six impact areas show which areas and topics are most important for NCC to focus on, as well as the topics that have the greatest impact. Three areas relate to environmental issues: Climate and energy, Natural resources and ecosystems, Materials and circularity. Two areas relate to important social dimensions: Health and safety, People and team. One area focuses on how the company conducts its operations: Ethics and compliance.

NCC works to make a positive contribution to and reduce the negative impact on achieving the UN Sustainable Development Goals. This is also clarified through the Group's sustainability framework. For more information about NCC's sustainability framework, please visit [ncc.com](https://ncc.com).

## NCC's sustainability framework



# Green Finance Framework

NCC will exclusively apply the net proceeds from the issuance of Green Bonds to finance a portfolio of “Eligible Projects”, promoting the transition to a low carbon and climate resilient society.

## Second opinion

The updated NCC Green Finance Framework 2025 has been reviewed by the independent company S&P Global, and has received a Medium Green classification according to the Shades of Green methodology.

## Green Financing Committee

NCC has a Green Financing Committee to ensure that NCC utilizes the net proceeds from the issuance of Green Bonds to finance a portfolio of eligible projects, in accordance with NCC’s Green Finance Framework. In this report, NCC gives examples of property development projects that accurately represent the larger portfolio and for asphalt plants, the total climate and environmental impact made during the investments. This has been reviewed by the Green Financing Committee. For more information, please visit our web: [Green Finance Framework](#).



# Property development

To take a holistic approach to sustainable property development, NCC aims to certify all office projects at least at the BREEAM level Excellent or the DGNB level Gold. This ensures that the focus is kept on the relevant sustainability issues and that improvements are made continuously in multiple areas. Certification is part of the entire project process and done in two phases, design, and finalized building. Certificates are obtained when the project is completed, and an independent person monitors and assesses the fulfilment of certification requirements during production period. Certification includes an independent third-party review, which ensures that measures are implemented, and that a robust follow-up is carried out.

Real estate accounts for nearly 40 percent of energy use in Sweden regarding to authority Boverket. It is therefore important to minimize energy use in properties being developed. All buildings are required to use at least 25 percent less energy compared with local codes.

We are also working to provide buildings with renewable energy and to primarily focus on using energy with a low climate impact, this is for example solar energy and district heating from biofuels.

Reducing climate impact from used materials and the construction process is a major focus area. We focus on resource-efficient construction and materials with low climate impact. NCC's ambition is to reduce climate impact from materials with 50 percent by 2030. Large amounts of waste are generated in construction projects, and we focus on minimizing waste and reduce the amount of waste sent to incineration or landfill. The EU waste hierarchy controls our way of working and the goal is to reduce waste to less than 25 kg/BTA and sort the waste generated into reusable clean fractions.

Impact from the three example projects:

**208-ton** expected annual CO<sub>2</sub>e reduction, and  
**2,359 MWh** expected annual energy saving.



# Asphalt plants and quarries

## Asphalt plants

NCC produces asphalt in a variety of qualities and properties. NCC also offers paving services. Manufacturing asphalt consumes large amounts of base materials. It is also an energy intensive operation that requires equipment and vehicles running on fossils and renewable energy. The sustainability work conducted in this area concerns NCC's production of asphalt, rather than the paving operations. It comprises the following, interlinked aspects:

- Energy conversions: Replace fossil fuel oils and gases at the plants with wood pellets or bio-oil
- Increasing recycling of input materials: Aggregates, reclaimed asphalt pavement (RAP)
- Energy efficiency: Reducing production temperature by covering, insulating and ventilating to reduce moisture in components and production units etc.

Although not immediately affecting energy type or consumption, increasing aggregate and asphalt recycling contributes to achieving a circular economy and indirectly affects the carbon footprint within Scope 3. For definition and more information please see Appendix.

The main components in asphalt mixtures, besides mineral rock aggregates, are bitumen and smaller amounts of adhesives and cellulose fibers. In addition, RAP is usually added to asphalt mixtures, thereby replacing virgin aggregate and virgin bitumen. Content declarations of individual products provide content ranges depending on recipe and type. Asphalt production requires energy as the material is heated to a temperature of 120–180°C (hot-mix asphalt). The fuel used for asphalt production has historically constituted fossil energy, typically fuel oil or gas, while during the last decade NCC has emphasized increased use of renewable energy such as wood pellets which are milled to powder, or the bio-oil tall-oil pitch, TOP. The direct energy usage in asphalt production derives from heating the asphalt mixture and removing moisture from aggregates and RAP. Therefore, investments to reduce production temperature and to protect stored raw materials from precipitation are also covered by the green investments and associated bonds.

The timing of a given investment at each asphalt plant depends on current plant status, need of maintenance/ replacement and site-specific conditions such as local fuel availability, transport distances and plant configuration. For example, efficient use of biofuels often needs additional preparations and adjustments, such as milling of pellets or preheating of bio-oils,

which normally limits annual consumption below 100 percent. Consequently, the present target for individual converted plants is typically to reach 90 percent non-fossil fuels, a figure that has been increased over the years by successive accumulation of experience.

Total reduction of CO<sub>2e</sub> in NCC's asphalt plants:

**378,703**-ton total CO<sub>2e</sub> reduction 2015–2025.

## Quarries

Production of aggregates, gravel and sand in quarries and pits uses large amounts of virgin material and energy. NCC produces aggregates in diverse sizes, from blasted rock to finely crushed stones with different sizes. The products are used in construction and civil engineering projects, including bulk material in asphalt mixtures and concrete. Most of the sustainability work is conducted in Sweden, where it has been most favorable, by the mobile aggregate crushing units within the areas of:

- Energy efficiency: Replacing fossil diesel with electricity
- Energy conversion: Replacing fossil diesel with electricity

Energy for the mobile crushing production process has historically been fossil energy, typically 100 percent fossil diesel. During recent years, NCC has advocated for increased use of renewable energy in the form of electricity from renewable sources (hydropower).

The timing of a given investment depends on current crusher or screen status, need of maintenance/ replacement and site-specific conditions, such as local electricity and effect (power output) availability, and crusher configuration.

Total reduction of CO<sub>2e</sub> in NCC's mobile crushers:

**14,756**-ton total CO<sub>2e</sub> reduction 2019–2025.

There are two categories of investments for electrification of mobile crushing:

- Electrification of sites (transformers and cables)
- Mobile crushers and screens that are diesel-electric instead of diesel-hydraulic

There are also two categories of investments that contribute to preserving biodiversity and sustainable ecosystems:

- Initiatives to protect and secure biodiversity in our active quarries and gravel pits. NCC has developed a method that promotes biodiversity in quarries, known as NCC Kielo.
- Investments in facilities to produce NCC Machine Sand, a product which enables our customers to reduce their consumption of virgin natural sand.

In certain NCC sites we work aligned with our developed method, NCC Kielo, which helps us to implement solutions to maintain and promote biodiversity in our active quarries and pits, during operation and as a part of the rehabilitation. To become a NCC Kielo site there are several criteria that must be met, including an investigation of habitat types to note characteristic species in the area, set targets, and describe planned measures to create desirable conditions for biodiversity at the specific site.

NCC invests in facilities to produce NCC Machine Sand at some quarries. NCC Machine Sand is based on rocks that are crushed, sieved, and refined to meet customers' requirements in various applications. NCC Machine Sand can replace virgin natural sand or gravel in concrete production, asphalt production, sports and recreational infrastructure and civil engineering projects. Reducing the extraction of virgin natural sand and gravel protects water resources, keeping biodiversity and delivering ecosystem services, since virgin natural sand is the second most exploited natural resource in the world after water and plays a strategic role in delivering ecosystem services and maintaining biodiversity.




# Issuance of Green Bonds

NCC reports in Swedish kronor (SEK) and the reporting period ended on December 31, 2025.

NCC has outstanding Green Bonds amounting to SEK 1,250 M of which SEK 500 M matures on April 05, 2027, and SEK 750 M matures on April 05, 2029. NCC also has SEK 500 M in a private placement that matures on June 22, 2026, SEK 100 M in a private placement that matures November 27, 2026, and SEK 500 M in a private placement that matures on June 30, 2027.

The proceeds from the Green Bonds have all been used to re-finance investments that are in alignment with the NCC Green Financing Framework. Activated eligible green assets amounted to SEK 2,350 M on December 31, 2025.

Distribution of green assets



## Summary of key results

### Dispersed and allocated bonds

SEK M	Dispersed Green Bonds	Allocated volume	Carrying amount, portfolio December 2025 <sup>1)</sup>	Available volume
Green Buildings	2,270	2,270	7,504	5,234
			Total investment	Estimated available volumes
Asphalt plants	80	80	128.5	48.5
Quarries			80.2	80.2
<b>Total</b>	<b>2,350</b>	<b>2,350</b>		

NCC Treasury had as per December 31, 2025, Green Bonds outstanding amounting to SEK 2,350 M (including SEK 1,100 M in private placement). The internal green lending was at the same time amounting to SEK 2,350 M.

Small differences between the Carrying amount and NCC Group's book value on ongoing property projects may occur. These differences mainly consist of eliminations of internal profits and joint venture projects.

### Environmental impact

<b>Green Buildings</b>	Expected reduction of emissions (ton CO <sub>2</sub> e)	Expected annual energy savings (MWh)	Recycled waste, %
<b>Annual savings</b>	208	2,359	73–97
<b>Asphalt plants</b>	Fossil Scope 1 emissions saving in 2025 compared with 2015 (kg fossil CO <sub>2</sub> e/ton asphalt and %)	Fossil energy saving in 2025 compared with 2015 (fossil kWh/ton asphalt and %)	Increase in renewable share of Scope 1 energy mix from 2015 to 2025 (%)
<b>Saving 2015–2025</b>	6.58 (50%)	26 (47%)	From 22 to 59%
<b>Mobile crushers in quarries</b>	Fossil Scope 1 & 2 emission saving 2025 compared to 2019 (kg fossil CO <sub>2</sub> e/ton aggregates and %)	Fossil energy saving in 2025 compared with 2019 (fossil MWh/ton aggregates and %)	Increase in renewable share of energy mix from 2019 to 2025 (%)
<b>Savings 2019–2025</b>	0.20 (24%)	0.76 (24%)	From 1 to 25%

Calculated savings on green buildings are annual savings during building lifetime. Expected reductions are not for the entire project portfolio, but for the three example projects only, see page 11–12.

1) For Green Buildings, the value refers to the Book Value, and for Asphalt Plants and Quarries, the value refers to the estimated Residual Value.

# Information on Green Bond investments

## Property development

Per Dec 31, 2025, NCC had three ongoing and five completed property development projects.

Portfolio of ongoing green property development projects per Dec 31, 2025

Project	City	Segment	Lettable area (sqm)	Construction start	Sold, expected time for profit recognition	Environmental certification
Park Central	Gothenburg	Office	15,200	Q1 2023	Q2 2027	BREEAM – Excellent
Habitat 7	Gothenburg	Office	7,800	Q2 2022		BREEAM – Excellent
Yrket	Stockholm	Office	52,000	Q4 2024	Q2 2028	BREEAM – Excellent
Cleantech Garden	Helsinki	Social infrastructure	13,800	Q1 2025	Q2 2027	BREEAM – Excellent

Portfolio of completed green property development projects per Dec 31, 2025

Project	City	Segment	Lettable area (sqm)	Construction start	Sold, expected time for profit recognition	Environmental certification
Bromma Blocks	Stockholm	Office	52,400	Q4 2018		BREEAM – Excellent/Outstanding
Nova	Stockholm	Office	9,800	Q3 2021		BREEAM – Excellent
Flow	Malmö	Office	10,300	Q3 2022		BREEAM – Excellent
We Land	Helsinki	Office	20,800	Q3 2020		BREEAM – Outstanding
Kulma21	Helsinki	Office	7,700	Q2 2021		BREEAM – Excellent

To show the environmental impact, three projects have been selected to represent the portfolio, and they are described in detail below. These are the Habitat 7 and Yrket 4 projects in Sweden and the We Land project in Finland. All three are new construction office projects.

Actual or expected environmental impact from the three example projects

Project	Energy performance <sup>A</sup> (kWh/m <sup>2</sup> , year)	Energy-savings, %	CO <sub>2</sub> e impact <sup>B</sup> (kg CO <sub>2</sub> e/m <sup>2</sup> , year)		Renewable energy, %	Waste <sup>C</sup> %
			Impact	Avoided <sup>D</sup>		
Habitat 7	49	33	1,0	0,5	56	88
Yrket 4	38	47	0,5	0,4	91	97
We Land	79	21	24	7	32	72

<sup>A</sup> According to local building code

<sup>B</sup> From energy usage

<sup>C</sup> Recycled waste as described in NCC's annual report

<sup>D</sup> Avoided CO<sub>2</sub>e impact from reduced energy use, compared to local code

The energy used in the two Swedish projects, Habitat 7 and Yrket 4, are to great extent renewable with low CO<sub>2</sub>e emissions. The avoided CO<sub>2</sub>e emissions due to reduced energy use are thereby very low compared to the project in Finland since used energy in Finland have larger CO<sub>2</sub>e emissions. The CO<sub>2</sub>e savings in the Finnish project We Land are about 29 percent of total annual climate impact. During a 50-year lifecycle this sums up to about 10,400-ton CO<sub>2</sub>e savings.

In addition, large scale savings of CO<sub>2</sub>e emissions during construction have been made, see information about each project. For example, in Habitat 7 embodied carbon has been reduced by more than 40 percent with savings of about 1,600-ton CO<sub>2</sub>e and in Yrket 4 embodied carbon emissions are reduced by more than 35 percent with CO<sub>2</sub> savings of about 7 000-ton CO<sub>2</sub>.


## Habitat 7

### Project facts

City:	Gothenburg
Type:	Office building
Scheme:	BREEAM-SE 2017 New Construction
Level:	Excellent
Status:	Design stage and production ongoing

### Sustainability facts

Energy	<ul style="list-style-type: none"><li>- Energy-smart installations with presence controlled low air flow and high heat recovery in ventilation.</li><li>- Presence and daylight control of lighting. Water saving faucets.</li><li>- Local energy production from roof mounted solar panels.</li></ul>
Other	<ul style="list-style-type: none"><li>- Solid wooden framework combined with climate improved concrete.</li><li>- Large green terrace for building users.</li><li>- Bicycle rooms and changing rooms.</li><li>- Proximity to public transport and services.</li><li>- Sustainable construction site with for example improved waste handling, material reuse and presence-controlled lighting.</li><li>- Climate-impact from materials and construction are reduced by 43 percent by using materials with low climate impact.</li><li>- Reduced climate impact with about 1,600-ton CO<sub>2</sub>e.</li><li>- Used materials with low climate impact are for example Wooden framework, climate improved concrete, recycled glass and transports with HVO.</li><li>- Parts of ventilation ducts without steel.</li><li>- Certifications: In addition to BREEAM Excellent, also NollCO<sub>2</sub> and Citylab.</li></ul>



## Yrket 4

### Project facts

City:	Stockholm
Type:	Office building
Scheme:	BREEAM-SE V6 New Construction
Level:	Excellent
Status:	Design stage

### Sustainability facts

Energy	<ul style="list-style-type: none"><li>- Use of renewable energy sources, 500 m<sup>2</sup> solar panel system on roof.</li><li>- Energy-smart system control function for air handling unit with high energy recovery from process within the building.</li><li>- District heating and cooling with very low CO<sub>2</sub> impact.</li></ul>
Other	<ul style="list-style-type: none"><li>- Analysis of thermal comfort conducted for future climate changes, the effect of higher temperatures, show that the building will be able to maintain the comfort levels required for indoor thermal comfort without any adaptations.</li><li>- Reuse of about 6,000 m<sup>2</sup> hollow core elements in the framework.</li><li>- Concrete with reduced climate impact, up to 40 percent reduction.</li><li>- Reduced climate impact from construction site and used materials with about 35 percent and 7,000-ton CO<sub>2</sub>e.</li><li>- New façade system with load bearing wood construction.</li><li>- Green steel with reduced climate impact.</li><li>- Green roof and green areas on the ground for the increase of biodiversity; plants, insects, and birds, and with the function as water-holding during heavy rains to lower risk of flooding.</li><li>- Green roofs and green areas on ground to lower the effect of high temperatures, the heat island effect, locally in this urban area.</li><li>- Choice of plants that are local to the region and can adapt to climate change such as longer periods of heat and drought.</li><li>- Bicycle rooms and changing rooms.</li><li>- Proximity to public transport and services.</li></ul>




# We Land

## Project facts

City:	Helsinki
Type:	Office building
Scheme:	BREEAM-International New Construction
Level:	Outstanding
Status:	Completed

## Sustainability facts

Energy	<ul style="list-style-type: none"><li>- Use of renewable energy sources, 26 kWp solar panel system onsite.</li><li>- Presence and daylight control of lighting.</li><li>- District heating and cooling, highest energy efficiency level A2018.</li><li>- During construction period, consumption of electricity and CO<sub>2</sub>e emissions from transportation and fuels are monitored. The building site uses renewable energy.</li></ul>
Modifiable	<ul style="list-style-type: none"><li>- Adaptability to climate change.</li><li>- Each floor layout is modified from single to multi-tenant use and floor levels can be connected with open staircases, underfloor system for installations.</li></ul>
Other	<ul style="list-style-type: none"><li>- Reservation of electric car charging points available for 100 percent of parking places.</li><li>- 450 indoor bicycle parking places, electric bicycle charging points available for 30 percent of spaces.</li><li>- During office hours, 15 percent of parking facilities will be used for public parking and after office hours, 100 percent for public parking.</li><li>- Easy access to public transport, 30 meters to bus stop, 80 meters to tram stop, 400 meters to metro station.</li><li>- Western Helsinki's main bicycle route passes by the building, and its cycling related facilities are of high quality, including a bicycle washing facility.</li><li>- Green roofs with bird houses, accessible terrace.</li><li>- Facade cobber material is made of 100 percent recycled cobber and can be fully recycled after use.</li><li>- Procurement process takes account reused material and building products.</li></ul>



# Asphalt plants

Between 2012 and 2025, all the 29 Swedish asphalt plants and 4 of 13 plants in Norway have been converted from fossil fuels to biofuels. Instead of traditional fossil light fuel oil (LFO), renewable wood pellets/powder or bio-oil (tall oil pitch, TOP) is now used. See page 15 for table Investments by year and investment category.

Other measures to reduce CO<sub>2</sub>e emissions include increasing the share of recycled input materials; aggregates and reclaimed asphalt pavement (RAP), and increasing energy efficiency; reducing production temperature by covering, insulating & ventilating to reduce moisture in components and production units etc.

The distribution of investments and residual values as of December 2025 and the total share to reduced CO<sub>2</sub>e emissions since 2012 are shown below.

Distribution of investments and residual value as of December 2025


	Energy conversion, %	Energy efficiency, %	Recycling, %	Summarized value
Distribution of investment	47	13	40	SEK 286.4 M
Distribution of residual value	41	16	43	SEK 128.5 M

## Environmental impact asphalt plants


Emissions of greenhouse gases (expressed by Global Warming Potential, GWP) for asphalt production mainly depend on the quantity and type of fuel used to heat the product and the quantities of resources, such as aggregates and virgin bitumen, used. Diagram A illustrates the combined effect of the fuel type used and the amount of recycling for a typical asphalt type. As indicated, converting from fossil LFO to biofuel combined with increased amounts of recycling (RAP) yields a substantial decrease in GWP for the asphalt. The effect of each percent of increased recycling is approximately a reduction of 0.13 kg CO<sub>2</sub>e/ton asphalt.

The reduction of scope 1 fossil CO<sub>2</sub>e emissions is presented in diagram B showing the effect of the investments made in energy conversion from fossil to renewable fuels, which reduces the scope 1 fossil CO<sub>2</sub>e emissions and energy efficiency measures during 2015–2025 in all NCC Industry’s asphalt plants. There was initially a slight increase from 2015 until 2017, because the use of fish oil as a biofuel in Norway stopped after 2015. The Scope 1 fossil CO<sub>2</sub>e emission per ton of produced asphalt in all plants of NCC Industry was reduced by 47 percent, from 13.3 to 6.7 kg CO<sub>2</sub>e/ton, 50 percent, from 2015 until 2025. This is equivalent to a reduction of ~34,800 tons of CO<sub>2</sub>e for the total asphalt production in 2025.


Map of location of asphalt plants



A – Effect of fuel type and amount of recycling on cradle-to-gate GWP for asphalt



B – Reduction of Scope 1 fossil CO<sub>2</sub>e emissions per ton produced asphalt at all NCC Industry’s asphalt plants during 2015–2025, kg CO<sub>2</sub>e/ton




When converting to biofuels, fossil CO<sub>2</sub>e emissions per energy unit consumed in production will drop. The Scope 1 fossil CO<sub>2</sub>e emissions per MWh was reduced by ~50 percent in all NCC Industry's asphalt plants, from 186 to 92 kg CO<sub>2</sub>e/MWh from 2015 until 2025 (diagram C).


Using reclaimed asphalt pavement also gives a pronounced effect on the cradle-to-gate emissions of asphalt. Over the years NCC Industry has successively increased the amount of recycling and in 2025 the amount of RAP in asphalt mixtures averaged 30 percent in all the asphalt plants (diagram D).

By combining a higher share of biofuels, energy efficiency measures (lower humidity in the raw material and lower temperature in production) and a larger proportion of RAP, the climate impact of asphalt mixtures from NCC will successively be reduced.

C – Scope 1 fossil CO<sub>2</sub>e emission per MWh consumed in all NCC Industry's asphalt plants during 2015–2025, kg CO<sub>2</sub>e/MWh



D – Proportion of RAP in asphalt mixtures 2015–2025 (average value)



## Investments by year and investment category

Location	Country	Year	Investment category		
			Energy efficiency	Energy conversion	Recycling
Gävle	Sweden	2009–2019	X	X	X
Säter	Sweden	2009–2021	X		X
Hudiksvall	Sweden	2010–2022	X	X	X
Gothenburg	Sweden	2010–2020	X	X	X
Ålesund	Norway	2011–2015	X		
Bollnäs	Sweden	2011–2020	X	X	X
Rugsland	Norway	2011–2022	X	X	X
Trige	Denmark	2012–2018	X		X
Brejning	Denmark	2012–2020	X		
Maribo	Denmark	2012–2021	X		X
Eskilstuna	Sweden	2013–2019	X	X	X
Tau	Norway	2013–2019	X		
Eikefjord	Norway	2014	X		
Gammelrand	Denmark	2014	X		
Grinda	Norway	2014	X		
Rådal	Norway	2014			X
Lierskogen	Norway	2014–2015	X		X
Uddevalla	Sweden	2014–2016	X	X	X
Västerås	Sweden	2014–2016	X	X	X
Etne	Norway	2014–2017	X		
Halmstad	Sweden	2014–2018	X	X	X
Jönköping	Sweden	2014–2018	X	X	X
Karlstad	Sweden	2014–2019	X	X	X
Norrköping	Sweden	2014–2019		X	
Borås	Sweden	2014–2020	X	X	X
Stockholm, north	Sweden	2014–2020	X	X	X
Umeå	Sweden	2014–2020	X	X	
Kolding	Denmark	2015	X		
Piteå	Sweden	2015–2022	X	X	X
Odense	Denmark	2015–2022	X		X
Kiruna	Sweden	2015–2019	X	X	X
Lidalen	Norway	2015–2021	X		X
Klodeborg	Norway	2016	X		
Mobil 4	Norway	2016–2018	X		X
Hjallerup	Denmark	2016–2018	X		X
Astec DB	Sweden	2016–2019		X	X
Bondkall	Norway	2016–2019	X		X
Lund	Sweden	2016–2019	X	X	
Kalmar	Sweden	2016–2022	X	X	X
Mora	Sweden	2016–2020	X	X	X
Östersund	Sweden	2016–2021	X	X	X
Lia	Norway	2016–2022	X	X	X
Stockholm, south	Sweden	2017–2020	X	X	X
Klippan	Sweden	2018–2019	X	X	X
Örebro	Sweden	2018–2019	X	X	
Sundsvall	Sweden	2018–2019	X	X	
Skellefteå	Sweden	2018–2022	X	X	X
Mobil 5	Norway	2019–2023		X	X
Steinskogen	Norway	2019–2021		X	X
Astec Six-pack	Sweden	2019–2022		X	X
Ejby	Denmark	2021	X		X
Astec XHR	Sweden	2021		X	X
Mobil 1	Norway	2023		X	
Ålesund	Norway	2023	X	X	

# Quarries

Between 2019 and 2025, seven sites were electrified to enable electrically powered mobile crushing. Investments were also made in mobile crushers and screens which can be used on any electrified site.


Investments and residual values for electrification of mobile crushing as of December 2025

	Total
Investments	SEK 95.5 M
Residual value	SEK 56.9 M

Geographical location (county) and year when site was electrified or invested in diesel electric mobile crusher or screen.

Location (county)	Year	Category	
		Energy efficiency	Energy conversion
<i>Sites:</i>			
Arlanda (AB)	2019	X	X
Vetlanda (F)	2020	X	X
Rydbo (C)	2021	X	X
Skärlanda (E)	2021	X	X
Gökhem (O)	2022	X	X
Stjärnarp (N)	2022	X	X
Kjula (D)	2024	X	X
<i>Crushers and screens:</i>			
Screen JS1818/3W (AB, C)	2021	X	X
Screen JS1836/3W (AB, C)	2021	X	X
Crusher GP550 (AB, C)	2021	X	X
Screen JS1632/3W (AB, C)	2021	X	X
Screen JS1214/3 (AB, C)	2021	X	X
Crusher L5500 (F)	2021	X	X
Crusher GP550 (O)	2022	X	X
Screen JS1214/3 (O)	2022	X	X
Screen JS1632/3W (O)	2022	X	X
Crusher CH660 (D, T, U)	2022	X	X
Screen JF1632/3 (D, T, U)	2022	X	X
Screen JF1214/3 (D, T, U)	2022	X	X
Crusher C120 (AB, C)	2022	X	X
Crusher L5500 (O)	2023	X	X
Screen JF1632/3 (D, T, U)	2023	X	X
Screen JS1632/3W (AB, C)	2023	X	X

Map of Sweden's counties with county letters



Investments in facilities for production of NCC Machine Sand have been made in NCC's quarries since 2018. The total investments, residual values and total investments by site (incl. geographical location), year and investment category are shown below.

Investments and residual values for facilities for production of NCC Machine Sand as of December 2025

	Total
Investments	SEK 53.1 M
Residual value	SEK 23.3 M

Geographical location and year when site invested in facility for production of NCC Machine Sand

Location (country)	Year	Category
		Maintaining biodiversity and delivering ecosystem services

Sites:

Arna, Bergen (Norway)	2018, 2022	x
Hedrum, Larvik (Norway)	2019–2020	x
Skien (Norway)	2018, 2020	x

### Environmental impact quarries

Emissions of greenhouse gases from aggregate production largely depend on the energy type consumed during production. As can be seen in diagram E, converting from 100 percent fossil diesel to electricity, generated from hydroelectric sources with an environmental certification, results in a substantial reduction in fossil CO<sub>2</sub>e emissions (the average cradle-to-gate emissions from mobile crushed material using 100 percent fossil diesel is 3–4 kg fossil CO<sub>2</sub>e/ton aggregates).


The table below presents the effect of the total investments made on electrification during 2019–2025. It shows the CO<sub>2</sub>e reduction and the reduction in energy consumption obtained from using electricity with guarantees of origin instead of 100 percent fossil diesel.

Total reduction in CO<sub>2</sub>e emissions and energy consumption in mobile crushing due to electrification between 2019 and 2025

CO <sub>2</sub> emissions reduction (ton CO <sub>2</sub> e)	Energy consumption reduction (MWh)
14,756	32,577

The total CO<sub>2</sub>e emissions were reduced by 21 percent for the production from 2019 until 2025, which is equivalent to 14,756-tons CO<sub>2</sub>e. The total energy consumption was reduced by 12 percent from 2019 to 2025, which is equivalent to 32,577 MWh.

E – Average effect of electricity share (generated from hydroelectric sources with an environmental certification) in mobile crushing on cradle-to-gate kg CO<sub>2</sub>e emissions per ton aggregates



Mobile crushing with electricity generated from hydroelectric sources with an environmental certification



## Auditor's Limited Assurance Report of the Green Finance Investor Report

To NCC AB (publ), Corporate identification number 556034-5174

### Introduction and Scope

We have been engaged by the Executive Team of NCC AB ("NCC") to undertake limited assurance of NCC's Green Finance Investor Report ("the Report") for 2025. The scope of our work is limited to assurance of pages 9-10 in the Report.

### Responsibilities of the Executive Team

The Executive Team is responsible for the preparation of the Report in accordance with applicable criteria. The criteria is described in *NCC Green Finance Framework* ("the Framework") dated June 2022 (page 13-14, section 4) that is available on NCC's website, that is applicable to the Report, as well as the accounting and calculation principles that the company has developed. This responsibility includes the internal control which is deemed necessary to establish an impact report that is free from material misstatements, whether due to fraud or error.

### Responsibilities of the Auditor

Our responsibility is to express a conclusion on the selected information specified above based on the limited assurance procedures we have performed. Our assignment is limited to the historical information that is presented and thus does not include future-oriented information.

We conducted limited assurance procedures in accordance with ISAE 3000 (revised) *Assurance Engagements Other than Audits or Reviews of Historical Financial Information*. A limited assurance engagement consists of making inquiries, primarily of persons responsible for the preparation of the selected information in the Report, and applying analytical and other limited assurance procedures. A limited assurance engagement has a different focus and a considerably smaller scope compared to the focus and scope of an audit in accordance with International Standards on Auditing and generally accepted auditing standards in Sweden.

The audit firm applies ISQM 1 (International Standard on Quality Management) and accordingly maintains a comprehensive system of quality control including documented policies and procedures regarding compliance with ethical requirements, professional standards and applicable legal and regulatory requirements. We are independent in relation to NCC according to generally accepted auditing standards in Sweden and have fulfilled our professional ethics responsibility according to these requirements.

The procedures performed in a limited assurance engagement do not allow us to obtain such assurance that we would become aware of all significant matters that could have been identified if an audit was performed. The conclusion based on a limited assurance engagement, therefore, does not provide the same level of assurance as a conclusion based on an audit has.

Our procedures are based on the criteria defined by the Executive Team as described above. We consider these criteria suitable for the preparation of the Report.

We believe that the evidence we have obtained is sufficient and appropriate to provide a basis for our conclusion below.

### Conclusion

Based on the limited assurance procedures we have performed, nothing has come to our attention that causes us to believe that the selected information disclosed in the Report is not prepared, in all material respects, in accordance with the reporting criteria.

Stockholm, the date of our electronic signature

Öhrlings PricewaterhouseCoopers AB  
Patrik Adolfson  
Authorized Public Accountant

# Appendix – Calculation approach

NCC follows the Greenhouse Gas Protocol. The Scope 1 emission factors used for fuels are supplied by DEFRA and are, when relevant, country specific (cf. Swedish environmental protection agency). For project-specific emissions from property development projects NCC uses the local supplier's emission factor (district heating and cooling) and the Nordic residual mix for electricity. Regarding emissions from electricity used at asphalt plants and mobile stone crushers (Scope 2), NCC adopts the market-based approach using the country-specific residual mix emission factor for electricity without certificates of Guarantee of Origin, and an emission factor of zero for electricity with certificates of Guarantee of Origin.

Both reduced and avoided CO<sub>2</sub>e is generated from the investments. Avoided CO<sub>2</sub>e occurs when the energy usage in our products is lowered, and reduced CO<sub>2</sub>e when the energy is switched to renewable origin.

Scope 1 and 2 emissions generated from asphalt plants are calculated based on production volume, type and amounts of fuels invoiced. The reduction in Global Warming Potential (GWP) for asphalt production from the use of reclaimed asphalt pavement (RAP) is established based on nominal resource use (aggregates, bitumen, and RAP) and corresponding emission factors from the Life Cycle Assessment (LCA) software LCA for Experts (earlier GaBi Professional), to produce a standard asphalt type. Calculations are made according to the requirements specified in EN 15804 and Product Category Rules 2019:14, version 1.2.4 of September 7, 2022.

Scope 1 and 2 emissions generated from mobile stone crushers are calculated based on production quantities and on measured energy consumption per produced ton at sites in the Stockholm area.

## Definitions

<b>CO<sub>2</sub>e</b>	Carbon dioxide equivalents
<b>GWP</b>	Global-warming potential
<b>LFO</b>	Light fuel oil
<b>LCA</b>	Life Cycle Assessment
<b>RAP</b>	Reclaimed asphalt pavement
<b>TOP</b>	Tall-oil pitch



## Contact information

Andreas Koch, [andreas.koch@ncc.se](mailto:andreas.koch@ncc.se)  
Head of Communication & Investor Relations

+ 46 70 509 77 61

Erika Grundströmer, [erika.grundstromer@ncc.se](mailto:erika.grundstromer@ncc.se)  
Head of Group Treasury

+ 46 73 398 32 58

Digital media



Street address Herrjärva torg 4  
170 80 Solna, Sweden  
Postal address NCC AB, 170 80 Solna, Sweden  
Telephone +46 (0)8 585 510 00  
Website [www.ncc.com](http://www.ncc.com)  
E-mail [info@ncc.se](mailto:info@ncc.se)

